

Ampoort New Energy --Lithium ion Polymer Cell Model List

Series	Model	Capacity (mAh)	Dimensions (mm)			Weight (g)	Internal Resistance (mΩ)	Voltage (V)
			Thickness	Width	Length			
2298	A502298MN	1000	5.00	22.8	98.8	20	40 ↓	3.7
2990	A702990	1900	7.00	29.5	90.8	30	35 ↓	3.7
	A702990MN	1300	7.00	29.5	90.8	30	35 ↓	3.7
3174	A803174CN	1800	8.30	31.3	74.8	40	30 ↓	3.7
3270	A773270MN	1800	7.70	32.5	70.5	40	30 ↓	3.7
3450	A473450	850	4.75	34.8	50.8	15	40 ↓	3.7
	A723450M	1000	7.15	34.8	50.8	25	35 ↓	3.7
	A753450CN	1300	7.70	34.8	51.0	25	30 ↓	3.7
	A753450CN	1250	7.60	34.8	51.0	25	35 ↓	3.7
	A103450MN	1600	9.80	34.0	50.8	30	50 ↓	3.7
	A853450MN	1400	8.50	34.8	51.0	30	35 ↓	3.7
	A553450CN	1000	5.50	35.0	51.0	25	45 ↓	3.7
3460	A683460CN	1500	6.80	34.8	60.8	30	35 ↓	3.7
	A603460PQ	1020	6.20	34.8	60.8	20	35 ↓	3.7
3465	A403465PL	600	4.05	34.8	65.8	15	50 ↓	3.7
	A653465PS	1300	6.55	34.8	65.8	25	30 ↓	3.7
	A733465PW	1300	7.35	34.8	65.8	25	35 ↓	3.7
	A733465PR	1300	7.80	34.8	65.8	25	35 ↓	3.7
3468	A683468	1700	6.80	34.5	68.5	40	50 ↓	3.7
3476	A603476CN	1500	5.80	34.8	76.6	35	30 ↓	3.7
3480	A733480PW	1800	7.50	34.8	80.8	55	25 ↓	3.7
	A613480H	1900	6.10	34.8	81.0	55	35 ↓	3.7
	A603480MN	1500	5.80	34.8	80.0	26	30 ↓	3.7
	A753480MN	2200	7.50	34.8	80.0	60	23 ↓	3.7
	A553480HN	1700	5.70	34.8	79.8	30	28 ↓	3.7
	A803480PW	2000	8.00	34.8	80.0	40	20 ↓	3.7
3496	A553496	1900	5.55	34.5	96.5	35	35 ↓	3.7
3562	A613562CN	1450	6.10	35.8	62.5	25	35 ↓	3.7
	A553562CN	1300	5.70	35.8	62.8	25	45 ↓	3.7
	A553562PB	1200	5.80	35.8	62.8	25	45 ↓	3.7
	A553562PSH	1250	5.80	35.8	62.8	28	25 ↓	3.7
3670	A753670CN	2200	7.55	37.5	70.5	60	25 ↓	3.7
3755	A633755CN	1350	6.30	37.0	55.0	35	35 ↓	3.7
3759	A633759HN	1500	6.35	37.8	59.8	30	35 ↓	3.7
	A503759CN	1100	5.20	37.5	59.8	20	35 ↓	3.7
	A503759FE	800	5.10	37.8	59.8	20	40 ↓	3.7
	A503759MN	800	5.10	37.8	59.8	20	40 ↓	3.7
	A503759G	1200	5.10	37.8	59.8	25	35 ↓	3.7
	A373759CN	820	3.80	37.8	59.8	20	50 ↓	3.7

	A663759G	1600	6.70	37.8	59.8	30	35 ↓	3.7
3759	A563759G	1300	5.60	37.3	59.8	25	40 ↓	3.7
3770	A663770	2000	6.65	37.8	70.8	60	35 ↓	3.7
	A753770CN	2200	7.50	37.8	70.8	60	30 ↓	3.7
3780	A503780CN	1450	5.00	34.8	79.8	30	47 ↓	3.7
3795	A753795CN	2850	7.50	37.0	95.0	65	25 ↓	3.7
3855	A903855CN	2000	8.90	38.0	55.0	55	25 ↓	3.7
3860	A543860CM	1350	5.40	38.8	60.8	35	35 ↓	3.7
	A553860	1500	5.75	38.8	60.8	35	28 ↓	3.7
3965	A103965	3000	10.00	38.5	64.5	70	35 ↓	3.7
3975	A503975CN	1500	5.00	39.5	75.0	30	35 ↓	3.7
3984	A643984M	1600	6.40	39.8	84.8	30	20 ↓	3.7
4060	A454060	1200	4.60	40.8	60.8	25	35 ↓	3.7
4067	A654067CN	1900	6.55	40.5	67.0	35	35 ↓	3.7
4069	A654069CN	1902	6.55	40.5	67.0	40	37 ↓	3.7
4070	A634070CN	2000	6.35	40.0	70.5	50	35 ↓	3.7
	A724070MC	2200	7.10	40.0	70.7	55	25 ↓	3.7
	A724070G	2400	7.20	40.0	70.7	55	23 ↓	3.7
	A724070CN	2200	7.10	40.0	70.7	55	25 ↓	3.7
4072	A824072	2800	8.20	40.0	72.0	65	22 ↓	3.7
4085	A654085MN	2350	6.55	40.0	85.0	55	25 ↓	3.7
4088	A534088CN	2000	5.30	40.0	88.0	55	22 ↓	3.7
4163	A754163	2400	7.50	42.0	64.5	55	23 ↓	3.7
4169	A804169MN	2650	8.20	41.6	69.6	65	25 ↓	3.7
	A474169CN	1400	5.50	41.8	69.8	25	40 ↓	3.7
	A474169HN	1500	4.90	42.0	70.0	30	40 ↓	3.7
	A634169CN	2000	6.50	41.6	69.8	55	28 ↓	3.7
	A634169MN	1800	6.50	41.6	69.8	40	28 ↓	3.7
	A834169CN	2750	8.30	41.6	69.6	65	25 ↓	3.7
	A734169MN	2100	7.30	41.8	69.8	55	28 ↓	3.7
4174	A854174MC	2800	8.55	41.5	74.5	65	22 ↓	3.7
	A854174CN	2700	8.50	41.5	74.5	60	30 ↓	3.7
	A654174D	2100	6.50	41.5	74.5	55	23 ↓	3.7
	A584174CN	1850	5.90	41.5	74.5	40	30 ↓	3.7
	A584174MN	1850	5.90	41.5	74.5	40	30 ↓	3.7
	A804174CN	2800	8.20	41.0	74.5	50	22 ↓	3.7
4177	A894177CM	3100	8.90	41.0	77.0	70	25 ↓	3.7
4183	A624183CN	2400	6.25	41.5	83.0	55	25 ↓	3.7
4259	A474259G	1400	4.90	42.5	59.8	35	35 ↓	3.7
4260	A644260CN	1700	6.40	42.0	60.5	30	30 ↓	3.7
4261	A684261G	1800	6.80	42.5	61.5	40	30 ↓	3.7
	A684261CN	1800	6.90	42.8	61.5	40	30 ↓	3.7
	A454261G	1400	4.70	41.8	60.8	35	40 ↓	3.7
	A474261CN	1200	4.70	41.8	60.8	20	40 ↓	3.7

	A464261CN	1350	4.65	44.5	61.5	30	35 ↓	3.7
	A6042461G	1600	6.00	42.0	61.0	35	35 ↓	3.7
	A494261G	1400	4.90	42.0	61.0	25	30 ↓	3.7
	A704261	2000	7.05	42.8	61.5	50	22 ↓	3.7
	A464461	1350	4.65	44.5	61.5	30	35 ↓	3.7
4284	A394284CN	1600	4.05	42.0	84.0	30	30 ↓	3.7
4290	A654290MCD	2600	6.50	42.0	90.0	60	25 ↓	3.7
	A654290MN	2600	6.50	42.0	90.0	60	25 ↓	3.7
4296	A514296CN	2200	5.15	42.8	96.8	55	35 ↓	3.7
	A534296CN	2400	5.30	42.8	96.8	55	35 ↓	3.7
	A604296CN	2600	5.90	42.3	96.5	60	22 ↓	3.7
	A604296MN	2700	6.15	42.3	96.5	60	22 ↓	3.7
	A604296CN	2800	6.05	42.3	96.5	60	22 ↓	3.7
	A654296CN	2900	6.55	42.6	96.8	60	22 ↓	3.7
4369	A954369	3100	9.50	43.0	69.0	75	22 ↓	3.7
	A954369CN	3100	9.50	43.0	69.0	75	22 ↓	3.7
4372	A824372	2900	8.20	43.0	72.0	75	22 ↓	3.7
4375	A704375	2500	7.10	43.8	75.5	55	22 ↓	3.7
	A704375CN	2500	7.10	42.5	75.5	55	22 ↓	3.7
4459	A534459G	1600	5.30	44.8	59.2	30	27 ↓	3.7
4461	A684461CN	2000	6.80	44.8	61.5	50	22 ↓	3.7
4472	A894472	3200	8.90	44.0	72.0	75	20 ↓	3.7
	A604472CN	2050	6.00	44.0	72.0	50	22 ↓	3.7
4497	A564497	2700	5.60	44.8	98.0	60	22 ↓	3.7
	A484497CN	2200	4.85	44.8	98.0	35	20 ↓	3.7
4563	A584563CN	1700	5.80	45.5	63.5	30	30 ↓	3.7
4567	A504567G	1550	5.00	45.0	67.8	25	30 ↓	3.7
4568	A724568CN	2500	7.25	45.8	68.0	65	23 ↓	3.7
	A684568	2250	6.80	45.3	68.0	55	23 ↓	3.7
	A844568	3000	8.35	45.3	68.0	75	17 ↓	3.7
4570	A504570	1700	5.00	45.0	70.0	35	35 ↓	3.7
4572	A634572CN	2300	6.30	46.0	74.0	50	22 ↓	3.7
4574	A654574CN	2500	6.50	45.5	74.5	55	30 ↓	3.7
4578	A554578CN	2050	5.50	45.0	78.5	55	25 ↓	3.7
	A844578CN	3300	8.40	45.0	78.5	75	30 ↓	3.7
4584	A904584	4000	9.00	45.0	84.0	85	18 ↓	3.7
4590	A454590CN	2000	4.65	45.8	90.8	50	25 ↓	3.7
4590	A454590CN	1800	4.50	45.8	90.8	50	25 ↓	3.7
4677	A104677CN	4200	10.05	46.5	77.5	90	20 ↓	3.7
4678	A904678	4000	9.00	46.0	78.0	85	25 ↓	3.7
	A784678CN	3000	7.80	46.0	78.0	75	25 ↓	3.7
4680	A804680CN	3300	8.20	46.8	80.8	80	35 ↓	3.7
4763	A854763CN	2800	8.55	47.0	63.5	65	20 ↓	3.7
4767	A904767CN	3000	8.80	47.0	67.0	75	20 ↓	3.7

4768	A414768CN	1350	4.15	47.5	68.8	25	35 ↓	3.7
4770	A864770CN	3100	8.70	47.5	70.5	80	25 ↓	3.7
	A844770M	2200	8.40	47.5	70.5	55	25 ↓	3.7
	A844770CM	3000	8.40	47.5	70.5	65	25 ↓	3.7
4772	A634772CN	2400	6.35	47.8	72.8	55	30 ↓	3.7
	A604772CN	2100	6.20	47.8	72.8	50	25 ↓	3.7
	A864772CN	3000	8.70	46.8	71.8	75	20 ↓	3.7
4776	A924776	3700	9.20	46.5	76.0	85	20 ↓	3.7
4780	A754780MN	3100	7.55	47.5	80.5	75	20 ↓	3.7
	A884780MN	3600	8.80	47.5	80.5	80	25 ↓	3.7
4890	A804890MN	4000	8.20	40.8	90.8	95	35 ↓	3.7
4950	A454950	1200	4.50	49.8	50.8	20	35 ↓	3.7
	A304950	760	3.05	49.8	50.8	15	40 ↓	3.7
4965	A504965G	1700	5.05	49.5	65.0	35	35 ↓	3.7
	A654965MC	2250	6.70	49.5	65.2	55	22 ↓	3.7
4975	A504975	2000	5.20	49.0	75.5	60	22 ↓	3.7
4977	A504977CN	2000	5.20	49.3	76.8	60	23 ↓	3.7
	A584977G	2500	5.80	49.3	76.8	60	22 ↓	3.7
	A454977	1700	4.55	49.5	77.5	45	30 ↓	3.7
	A604977MN	2400	6.05	49.3	76.8	60	22 ↓	3.7
4993	ESA404993N	1900	3.90	49.8	91.8	55	35 ↓	3.7
5053	A705053NN	1900	7.05	50.5	53.8	55	28 ↓	3.7
5060	A305060CN	850	3.00	50.8	60.8	20	45 ↓	3.7
	A315060CN	900	3.15	50.8	60.8	20	40 ↓	3.7
	A505060MN	1500	5.30	50.5	60.5	30	40 ↓	3.7
	A505060CN	1500	5.00	50.5	60.5	30	40 ↓	3.7
	A475060	1500	4.85	50.8	60.8	30	35 ↓	3.7
	A805060CN	2600	8.00	50.5	60.8	60	22 ↓	3.7
	A605060CM	1950	6.20	50.0	60.0	40	40 ↓	3.7
	A705060QM	2300	7.00	50.0	60.8	50	25 ↓	3.7
5063	A485063	1700	4.90	50.5	63.5	35	25 ↓	3.7
5068	A455068	1600	4.50	50.8	68.8	30	25 ↓	3.7
	A385068	1450	4.10	50.8	68.8	25	35 ↓	3.7
	A385068CN	1400	3.90	50.8	68.8	25	35 ↓	3.7
	A505068H	1900	5.05	50.8	68.5	55	27 ↓	3.7
	A445068D	1500	4.40	50.8	68.5	30	45 ↓	3.7
	A505068CN	1800	5.05	50.8	68.5	35	35 ↓	3.7
	A445068D	1500	4.40	50.8	68.5	30	35 ↓	3.7
	A605068	2200	6.05	50.8	68.5	38	22 ↓	3.7
	A545068D	2000	5.40	50.8	68.5	50	45 ↓	3.7
	A545068CN	1850	5.40	50.8	68.5	50	35 ↓	3.7
	A655068CN	2300	6.50	51.0	68.8	65	30 ↓	3.7
	A865068MC	3000	8.60	50.5	68.8	75	20 ↓	3.7
	A425068NN	1500	4.30	50.5	69.0	30	30 ↓	3.7

	A805068MN	2800	8.00	50.5	68.8	65	20 ↓	3.7
	A555068CN	2000	5.50	50.8	68.5	50	35 ↓	3.7
5079	A415079	1700	4.10	50.7	79.8	32	35 ↓	3.7
5085	A855085MN	4000	8.50	50.8	85.8	90	15 ↓	3.7
	A855085MC	4100	8.70	50.8	85.8	90	15 ↓	3.7
	A855085CN	4100	8.70	50.8	85.8	90	15 ↓	3.7
	A655085MC	3000	6.60	50.0	84.8	70	20 ↓	3.7
	A755085CN	3500	7.70	50.3	85.3	75	25 ↓	3.7
	A325085HN	1400	3.25	50.3	85.3	27	40 ↓	3.7
	A355085CN	1600	3.65	50.3	85.3	30	35 ↓	3.7
	A455085CN	2200	4.50	50.3	85.0	55	35 ↓	3.7
	A385085MN	1800	3.95	50.8	85.8	35	35 ↓	3.7
	A425085CN	2000	4.30	50.3	85.3	60	40 ↓	3.7
	A735085	3500	7.30	50.3	85.3	75	25 ↓	3.7
	A425085	2000	4.30	50.3	85.3	60	35 ↓	3.7
	A425085CN	2000	4.30	50.3	85.3	60	35 ↓	3.7
5165	A525165CN	1800	5.35	51.8	65.8	35	45 ↓	3.7
	A555165M	1870	5.60	51.8	65.8	35	30 ↓	3.7
	A555165HN	2000	5.70	51.8	65.8	60	30 ↓	3.7
	A655165CN	2400	6.70	51.8	65.8	55	27 ↓	3.7
	A855165CN	3200	8.50	51.8	65.8	65	27 ↓	3.7
	A605165	2200	6.00	51.8	65.8	55	30 ↓	3.7
	A605165CN	2200	6.00	50.8	65.8	55	30 ↓	3.7
	A505165CN	1600	5.00	51.3	65.8	35	35 ↓	3.7
5271	A515271D	2000	5.10	52.0	71.0	50	25 ↓	3.7
5280	A355280CN	1600	3.50	52.5	79.3	25	35 ↓	3.7
	A455280CN	2150	4.70	52.8	80.8	50	25 ↓	3.7
5280	A405280HN	1900	4.30	52.8	78.3	40	40 ↓	3.7
	A405280CN	1800	4.20	52.8	78.3	35	40 ↓	3.7
5280	A505280CN	2250	5.10	52.8	78.3	47	45 ↓	3.7
	A405280	1900	4.30	52.8	78.3	43	40 ↓	3.7
5283	A105283CN	5000	10.00	52.0	83.0	150	12 ↓	3.7
5385	A425385	2000	4.20	53.5	85.5	55	22 ↓	3.7
	A505385	2200	5.05	53.8	85.8	60	25 ↓	3.7
5460	A585460CN	2000	5.90	54.3	60.5	38	22 ↓	3.7
5460	A455460CN	1500	4.70	54.8	60.8	30	40 ↓	3.7
	A505460	1700	5.00	54.3	60.5	35	25 ↓	3.7
	A585460CN	2000	5.90	54.3	60.5	38	22 ↓	3.7
5575	A525575G	2350	5.20	55.0	75.8	65	25 ↓	3.7
5583	A355583	1500	3.55	55.5	83.5	25	25 ↓	3.7
5585	A355585CN	1600	3.40	55.8	85.3	35	35 ↓	3.7
	A495585CN	2600	5.10	55.8	85.8	65	23 ↓	3.7
	A415585	2200	4.10	55.3	85.3	62	23 ↓	3.7
	A425585CN	2100	4.30	55.3	85.3	60	23 ↓	3.7

5663	A725663CN	2800	7.20	56.0	63.5	55	25 ↓	3.7
5757	A595757MC	1800	5.90	57.0	57.0	38	25 ↓	3.7
5759	A805759MN	2500	8.00	57.0	59.0	60	22 ↓	3.7
5762	A635762	2500	6.35	57.5	62.5	60	22 ↓	3.7
5899	A405899	2500	4.00	58.5	99.5	60	22 ↓	3.7
	A405899CN	2500	4.00	58.5	99.5	60	22 ↓	3.7
5980	A835980MC	4400	8.00	60.5	81.5	95	17 ↓	3.7
6058	A606058	2300	6.00	60.0	58.0	55	22 ↓	3.7
6066	A406066CN	1600	4.20	60.8	66.8	30	30 ↓	3.7
	A406066CN	1500	4.00	60.8	66.0	28	40 ↓	3.7
	A506066MN	2000	5.05	60.8	66.3	50	35 ↓	3.7
	A606066CN	2000	6.00	60.5	66.5	45	23 ↓	3.7
	A466066G	1900	4.80	60.8	65.8	40	35 ↓	3.7
	A406066	1500	4.00	60.8	66.0	30	40 ↓	3.7
	A606066CM	2500	6.00	60.5	66.5	55	23 ↓	3.7
	A506066CN	2000	5.05	60.8	66.3	50	35 ↓	3.7
6269	A356269	1600	3.50	62.0	69.0	28	30 ↓	3.7
6085	A506085D	3000	5.20	60.8	85.8	70	25 ↓	3.7
	A506085	3000	5.20	60.8	85.8	60	25 ↓	3.7
	A506085CN	3000	5.20	60.8	85.8	60	25 ↓	3.7
6183	A486183CN	2800	5.00	61.3	83.8	60	20 ↓	3.7
6186	A426186CN	2200	4.20	62.0	86.1	50	35 ↓	3.7
6294	A506294M	2000	5.00	62.8	94.8	40	20 ↓	3.7
6294	A576294	3600	5.75	62.8	94.8	70	22 ↓	3.7
	A656294MC	4100	6.55	62.8	94.8	80	20 ↓	3.7
6373	A456373H	2250	4.50	63.8	73.8	40	25 ↓	3.7
	A446373	2200	4.40	63.8	73.8	40	25 ↓	3.7
6483	A306483CN	1600	3.00	64.5	83.5	25	15 ↓	3.7
	A386483	2000	3.80	64.8	83.8	40	30 ↓	3.7
	A706483CN	4200	7.00	64.0	83.0	80	15 ↓	3.7
	A606483CN	3500	6.00	64.8	83.8	70	20 ↓	3.7
	A326483	1800	3.30	64.5	83.5	32	28 ↓	3.7
6563	A816563MC	3600	8.10	65.0	63.0	70	20 ↓	3.7
6580	A476580CN	2750	4.85	65.5	80.5	55	17 ↓	3.7
	A456580CN	2600	4.70	65.5	80.5	50	17 ↓	3.7
6696	A656696CN	4800	6.50	66.8	96.8	95	35 ↓	3.7
	A606696CN	4300	6.10	66.8	96.8	85	15 ↓	3.7
	A506696CN	3700	5.05	66.5	96.5	75	18 ↓	3.7
6750	A406750N	1450	4.00	67.5	50.5	25	30 ↓	3.7
6766	A586766MC	2600	5.80	67.8	66.2	62	25 ↓	3.7
	A586766MC	2600	5.60	67.8	66.2	62	22 ↓	3.7
	A586766CN	2600	5.60	67.8	66.2	62	22 ↓	3.7
	A466766	2200	4.65	67.8	66.2	35	25 ↓	3.7
6877	A556877MN	3000	5.55	68.0	77.0	65	22 ↓	3.7

6969	A576969CN	3100	5.70	69.5	69.0	65	22 ↓	3.7
	A626969CN	3200	6.10	69.5	69.5	70	20 ↓	3.7
	A656969MN	3200	6.50	69.5	69.5	70	15 ↓	3.7
	A756969MN	4000	7.70	69.5	69.5	85	15 ↓	3.7
	A756969CN	4000	7.70	69.5	69.5	85	15 ↓	3.7
6997	A526997	4000	5.20	69.5	97.5	90	18 ↓	3.7
8088	A448088	3350	4.40	80.0	88.2	72	22 ↓	3.7
	A448088CN	3350	4.40	80.0	88.2	72	22 ↓	3.7
8398	A478398	4500	4.70	83.8	98.0	90	22 ↓	3.7
	A338398NN	2800	3.35	83.8	98.0	65	22 ↓	3.7
8668	A538668	3500	5.35	86.8	68.5	70	35 ↓	3.7
9876	A389876MC	3000	3.80	98.0	76.0	70	30 ↓	3.7
10090	A5010090M	5000	5.20	100.8	90.8	100	12 ↓	3.7
25100	A6525100MN	1650	6.70	24.8	100.0	30	35 ↓	3.7
	A6025100MN	1400	6.05	24.8	100.0	25	35 ↓	3.7
	A6025100MC	1400	6.05	25.0	100.0	30	35 ↓	3.7
30135	A5530135	2500	5.50	30.0	135.0	60	22 ↓	3.7
	A5530135CN	2500	5.50	30.0	135.0	60	22 ↓	3.7
30160	A4030160CN	2100	4.20	30.5	160.5	35	25 ↓	3.7
32103	A8732103MN	2800	8.70	32.8	103.8	45	22 ↓	3.7
	A5032103CN	1750	5.00	32.8	103.8	30	25 ↓	3.7
35135	A6835135CN	3600	7.00	34.8	135.8	70	15 ↓	3.7
	A7035135CN	3600	7.00	34.8	135.8	70	15 ↓	3.7
35138	A6035138CN	3100	6.00	35.8	141.0	60	25 ↓	3.7
	A7035138M	3800	7.80	35.0	138.0	70	30 ↓	3.7
36110	A6336110CN	2650	6.40	36.8	110.0	55	20 ↓	3.7
	A5536110MN	2200	5.70	36.8	108.8	50	30 ↓	3.7
39100	A3039100	1200	3.05	39.0	100.8	30	38 ↓	3.7
42100	A5542100MN	2200	5.50	42.8	100.8	50	15 ↓	3.7
	A7042100CN	3400	7.15	42.8	100.8	60	15 ↓	3.7
	A8042100CN	3900	8.20	42.8	100.8	75	15 ↓	3.7
43125	A6043125	3800	6.00	43.5	125.0	80	20 ↓	3.7
	A6043125CN	3800	6.00	43.5	125.0	80	20 ↓	3.7
45131	A8045131CN	5100	8.00	45.8	131.8	100	15 ↓	3.7
45135	A5045135CN	3600	5.20	45.8	135.8	75	15 ↓	3.7
	A6045135	4200	6.00	45.8	135.5	85	18 ↓	3.7
	A6345135CN	4500	6.40	45.8	134.3	90	18 ↓	3.7
46113	A6646113G	4000	6.60	46.2	113.0	90	20 ↓	3.7
48110	A3848110CN	2200	3.80	48.8	110.8	55	25 ↓	3.7
	A5548110MC	3200	5.50	48.8	110.8	65	25 ↓	3.7
50110	A6050110CN	3800	6.50	49.0	111.0	70	25 ↓	3.7
	A8050110CN	5000	8.20	51.0	111.0	100	15 ↓	3.7
	A9050110MN	5500	9.10	50.8	111.0	110	15 ↓	3.7
	A5050110CN	3000	5.30	49.5	111.0	60	25 ↓	3.7

50140	A6050140MN	4500	6.00	50.0	140.0	90	10 ↓	3.7
	A7350140M	5300	7.00	50.0	140.0	120	10 ↓	3.7
52102	A7352102LM	3800	7.30	52.5	102.8	73	15 ↓	3.7
52117	A4452117	3000	4.40	52.8	117.8	60	22 ↓	3.7
	A3952117CN	2700	3.95	52.5	117.5	38	25 ↓	3.7
55110	A4555110CN	3000	4.50	55.0	110.0	60	22 ↓	3.7
58110	A5558110CN	4100	5.58	58.8	110.8	80	15 ↓	3.7
	A4258110G	3400	4.38	58.8	110.8	68	22 ↓	3.7
59156	A8559156NN	9000	8.90	59.8	156.8	220	6 ↓	3.7
60103	A3460103	2100	3.40	63.5	103.5	55	23 ↓	3.7
65143	A6565143MN	6000	6.20	65.0	143.0	120	10 ↓	3.7
66100	A5566100CN	4200	5.50	67.8	100.5	90	40 ↓	3.7
67100	A3567100CN	2500	3.70	67.8	100.8	50	25 ↓	3.7
	A4067100CN	3000	4.05	67.5	100.5	70	25 ↓	3.7
	A5567100G	4400	5.70	67.8	100.8	90	15 ↓	3.7
	A4567100CN	3300	4.50	67.8	100.8	70	15 ↓	3.7
	A5567100CN	4500	5.70	67.8	100.8	90	15 ↓	3.7
	A6567100MC	5000	6.50	67.8	100.8	100	15 ↓	3.7
67100	A5267100CN	4100	5.22	67.8	100.8	90	15 ↓	3.7
68180	A7068180MZ	6500	7.50	68.8	182.0	200	5.5 ↓	3.7
68280	A7868280M	10000	7.80	68.8	280.0	280	5.5 ↓	3.7
75102	A6075102CN	5200	6.00	75.8	102.8	100	18 ↓	3.7
77117	A3477117	3100	3.40	80.5	117.0	75	23 ↓	3.7
78230	A6578230CN	13380	6.90	78.0	232.0	300	10 ↓	3.7
93125	A7293125MN	9500	7.50	93.3	125.5	255	10 ↓	3.7
100125	A50100125MN	6000	4.90	100.0	125.0	160	15 ↓	3.7
105198	A65105198M	10000	6.80	105.0	211.0	280	10 ↓	3.7
	A50105198M	6500	5.00	105.0	211.0	200	10 ↓	3.7
110227	A64110227M	10000	6.55	109.5	226.5	280	10 ↓	3.7